	L	#	Hits	Search Text	DBs	Time Stamp
1	L1		0	brown.re\$.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 15:43
2	L2		125	brown-re\$.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 15:51
3	L3		U	'scan\$4 array' WITH 'one dimension\$2' WITH antenna WITH 'two dimension\$2'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 15:58
4	L4			'scanning array' WITH 'one dimensional' WITH antenna WITH 'two dimensional'	18: P() • . 1 P() •	2005/01/07 15:59
5	L5		23	'scanning array' SAME 'one dimensional' SAME 'two dimensional'	IE(P(): 11P():	2005/01/07 16:51
6	L6		21	5 AND ((@ad <= "20001004") or (@rlad <= "20001004"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 16:57
7	L7		164 1	(one NEAR2 dimension\$4) WITH (two NEAR2 dimension\$4) WITH (antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 17:31

	L #	Hits	Search Text	DBs	Time Stamp
8	L8	111	7 AND ((@ad <= "20001004") or (@rlad <= "20001004"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 17:01
9	L9	0	7 SAME (('closed loop' 'open loop') WITH (point\$3 direction\$4 turn\$3 adjust\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 17:00
10	L10	0	7 SAME (('closed loop' 'open loop') SAME (point\$3 direction\$4 turn\$3 adjust\$4))	IE: P() • .1 P() •	2005/01/07 17:01
11	L11	0	7 SAME ('closed loop' 'open loop')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 17:00
12	L12	1949	antenna SAME ('closed loop' 'open loop')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 17:00
13	L13	343	antenna SAME (('closed loop' 'open loop') WITH (point\$3 direction\$4 turn\$3 adjust\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/07 17:10
14	L14	1	13 AND ((@ad <= "20001004") or (@rlad <= "20001004"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 17:13

	L #	Hits	Search Text	DBs	Time Stamp
15	L15	;	(point\$3 direction\$4 turn\$3 adjust\$4) WITH	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 17:12
16	L16		15 AND ((@ad <= "20001004") or (@rlad <= "20001004"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 17:30
17	L17	1014	343/705	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 17:30
18	L18	695	"20001004") or (@rlad <=	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 17:42
19	L19	1	((point\$3 dimension\$4) WITH (two NEAR2 dimension\$4)) AND 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 18:47
20	L20	3009	343/705-718.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 17:42

	L #	Hits	Search Text	DBs	Time Stamp
21	L21	1841	20 AND ((@ad <= "20001004") or (@rlad <= "20001004"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 19:03
22	L22	ĺ	1 1 1 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 18:48
23	L23	4	("5866671" "5634199").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 19:01
24	L24	2	("5886671").pn.	16.P() * 1P() *	2005/01/07 19:03
25	L25	113	725/75-76.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 19:03
26	L26	78	25 AND ((@ad <= "20001004") or (@rlad <=	IH.P() * .!P() *	2005/01/07 19:18
27	L27	25	(control 'closed loop'	H:PO• .1PO• 1	2005/01/07 19:06

	L #	Hits	Search Text	DBs	Time Stamp
28	L28	37	725/72 AND ((@ad <= "20001004") or (@rlad <=	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/07 19:19